


**DTC-ON - PROFILE** ◇

6 16312 0000 ◇

◇ = B / W



**Application**

Ceiling Surface mounting  
For indoor use only

**Color finish**

B - Black  
W - White

**Specification features**

Surface treated aluminum  
Input voltage: 24V-DC  
Class 2, 2 x 22AWG or 4 x 22AWG cable 2' included.  
length profile : MAX. 4m = 13'-1"-1/2  
Suitable for dry or damp locations  
Protected against solid objects greater than 12 mm ➔ IP20  
Weight: 2,2lbs | 1kg

**Dimensions**

Height: 33 mm = 1"-5/16  
width: 21 mm = 13/16"

**Optional**


DTC-ON - CORNER 180°	16312 0620
DTC-ON - CORNER 90°	16312 0630
DTC-ON - END CAP SET	16312 0310




# INSTALLATION LUMINAIRE

Not compatible with Class I devices and not with other companies Class III devices


## DTC-ON - PROFILE




## DTC-ON - Corner 90°



## DTC-ON - Corner 180°




## CONNECTION




 **INSTALLATION LUMINAIRE**


**DTC-ON - END CAP SET**



**DTC-ON - END CAP SET**  
**16312 0310**




**FIXATION**



**FIXATION CLIPS INCLUDED**

**1**



**2**

