


BOXY R 92733 DIM8 ◇
6 251 70 811 922 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W
BOXY R 93033 DIM8 ◇
6 251 70 811 932 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W
BOXY R 93533 DIM8 ◇
6 251 70 811 952 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W



Application

Ceiling surface mounted only
 Installation to a standard 4" octagonal box with optional Mud kit or Coverplate installation
 For indoor and outdoor use

Color Finish


W - White
 B - Black
 MATT - Gold matte

Light source

1x Powered White 10,4W

Product description

Surface treated aluminum housing
 Input voltage: 120V / 60Hz
 Electronic dimmable power supply included,
 500mA current controlled, Mains dimmable
 Suitable for dry or damp
 Protected against dust - Spraying water ➡ IP53
 Weight: 1,3lbs 0,6kg



100mm
 3"-15/16

Ø90mm
 Ø3"-9/16

Requirements


6 204 00 117 COVERPLATE R117
 OR
 6 207 02 02 MUD KIT 2

Accessories not supplied (option)


251 70 03 01 BOXY HONEYCOMB
 251 70 03 04 BOXY SOFTENING LENS
 251 70 03 05 BOXY GLASS SBL

INSTALLATION LUMINAIRE


Accessories




1 MOUNTING TEMPLATE






3a COVERPLATE INSTALLATION



3b COVERPLATE INSTALLATION



3c COVERPLATE INSTALLATION





INSTALLATION LUMINAIRE

4 MUD KIT INSTALLATION

