



- QOBY S 92733 DIM8** ◇  
 6 251 76 811 922 ED8 ◇  
 ◇= B / W
- QOBY S 93033 DIM8** ◇  
 6 251 76 811 932 ED8 ◇  
 ◇= B / W
- QOBY S 93533 DIM8** ◇  
 6 251 76 811 952 ED8 ◇  
 ◇= B / W



**Application**

Ceiling surface mounted  
 Installation to a standard 4" octagonal box with Mud kit or coverplate required.  
 For indoor use

**Color Finish**

B - Black  
 W - White

**Light source**

1x Poweredled white 10,4W

**Product description**





Surface treated aluminum housing  
 Electronic power supply included. 120V input, 60Hz -500 mA current controlled class 2 output.Mains dimmable (10-100% light output)  
 Suitable for dry and damp locations → IP20  
 Weight: 1,3lbs 0,6kg

**Required**

- |              |                  |
|--------------|------------------|
| 6 207 02 02  | MUD KIT 2        |
| Or           |                  |
| 6 204 99 114 | COVERPLATE S 114 |

**INSTALLATION LUMINAIRE**

**Accessories**



**MAX 3 x 14-18AWG 50L/STR**




WHITE BLANC	L		WHITE BLANC
BLACK NOIR	N		BLACK NOIR
GREEN VERT			GREEN VERT

**1**  $\frac{1}{2}''$

**2**

**3**

**4**



 INSTALLATION LUMINAIRE

