


BOXY R OK 92733 DIM8 ◇
6 251 77 811 922 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W
BOXY R OK 93033 DIM8 ◇
6 251 77 811 932 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W
BOXY R OK 93533 DIM8 ◇
6 251 77 811 952 ED8 ◇
 ◇ = B-B / B-MATT / W-B / W-W



Application

Ceiling surface mounted only
 Installation to a standard 4" octagonal box with optional Mud kit or Coverplate installation
 For indoor and outdoor use

Color Finish

W - White
 B - Black
 MATT - Gold matte

Light source

1x Powered White 10,4W

Product description









Surface treated aluminum housing
 Input voltage: 120V / 60Hz
 Electronic dimmable power supply included,
 500mA current controlled, Mains dimmable
 Suitable for dry or damp
 Protected against solid objects greater than 12 mm ➡ IP20
 Weight: 1,3lbs 0,6kg




Requirements

6 204 00 117 COVERPLATE R117
 OR
 6 207 02 02 MUD KIT 2

 **INSTALLATION LUMINAIRE**

Accessories




INSTALLATION LUMINAIRE


De verlichtingsbron van dit verlichtingstoestel zal enkel door de fabrikant of door de fabrikant aangestelde installateur vervangen worden.

La source lumière de cet appareil ne sera remplacée que par l'entreprise ou par un agent reconnu.

Das enthaltene Leuchtmittel sollte nur durch entsprechendes Fachpersonal ersetzt werden.

The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent.

La fuente de iluminación que tiene esta luminaria sólo puede remplazarse por el fabricante o por un instalador autorizado.

La sorgente luminosa incorporata in questo apparecchio può essere sostituita solo dal produttore, da un suo centro assistenza oppure da una persona in possesso della necessaria abilitazione.