


OAO - PROFILE ◇

6 404 00 00 ◇

◇ = B / W / GC



Application

Ceiling recessed mounting
For indoor use only

Color finish

B - Black
W - White
GC - Gold Color

Specification features

Surface treated aluminum
Class 2, 24V-DC power supply required, to be installed remotely
10W/m
MAX. lenght profile : 5000mm = 16' 4"-27/32
Suitable for dry or damp locations
Protected against solid objects greater than 12 mm ➔ IP20
Weight: 10,6lbs | 5,3kg

Dimensions

Height: 126 mm = 4"-15/16
width: 117 mm = 4"-5/8

Requirements

OAO - End cap set 404 03 01


Fixation components

OAO - Rod suspension 0,4m 328 27 40
OAO - Rod suspension 0,8m 328 27 80
OAO - Cable suspension single 1,6m 404 09 01


Current supply

OAO - current supply 2 x 18AWG L19'-3/4 6 404 98 56
OAO - current supply 2 x 18AWG L5'-1/4 6 404 98 51
OAO - current supply 4 x 18AWG L19'-3/4 6 404 99 56
OAO - current supply 4 x 18AWG L5'-1/4 6 404 99 51




 **INSTALLATION LUMINAIRE**




ELECTRICAL CONNECTION






**LED POWER SUPPLY 24V-DC
KIT 60W DIM1
404 24 60 ED1**


ACCESSORY SET
1x  2x  1x 

OR









**LED POWER SUPPLY 24V-DC
KIT 100W
404 24 100**

ACCESSORY SET
1x  2x  1x 







CURRENT SUPPLY
377 98 51 - L1,6m / 3x075mm²
377 98 56 - L6m / 3x075mm²
377 99 51 - L1,6m / 5x075mm²
377 99 56 - L6m / 5x075mm²

ACCESSORY SET
1x 



INSTALLATION LUMINAIRE



OAO - CENTRAL ROD SUSPENSION

	<p>OAO - CENTRAL ROD SUSPENSION 0,4m 328 27 40</p>
	<p>OR</p> <p>OAO - CENTRAL ROD SUSPENSION 0,8m 328 27 80</p>

ACCESSORY SET

1x
2x
2x
5x

<2m <2m

1

2

6 404 98 51
or
6 404 98 56
or
6 404 99 51
or
6 404 99 56

4,425 lbf.in

3



INSTALLATION LUMINAIRE

4

RENUMBERING AFTER SHORTENING THE CABLE

1 - 2 = DOWN
3 - 4 = UP

5

OAO - CENTRAL ROD SUSPENSION

OAO - CABLE SUSPENSION SINGLE 1,6m
404 09 01

ACCESSORY SET
1x 1x 1x 1x 1x

1

2

3


A **B** **C** **D**



INSTALLATION LUMINAIRE

OAO - END CAP SET

OAO - END CAP SET
405 03 01



ACCESSORY SET
4X 1X DIN911
2,5

